



Circuit Diagram

NOTE:

- 1. Operating Force: 400gf±80gf
- 2. Travel : 2.5±0.3mm

NO.	Operating Type	Part No.
1	Push To Lock	K8-1385D-L1
2	Push No Lock	K8-1385D-N1

ITEM	PART NAME	TER'NO.	QTY.	MATERIAL	FINISHING	REMARK
⑦	Terminal	—	12	Brass strip	Plating silver	—
⑥	Base	—	1	Nylon	Black	—
⑤	Spring	—	1	SUS	Natural	—
④	Crochet Needle	—	1	SUS	Natural	—
③	Contact	—	4	Phosphor bronze	Plating silver	—
②	Cover	—	1	POM	Gray	—
①	KNOB	—	1	POM	White	—

APPROVALS		DATE	TITLE:	
DRAWN	J.X.Zhang	2013/10/25	PUSHBUTTON SWITCHS	
CHECKED			ELECTRONICS CO.,LTD	
APPROVALS			HROE	

ECN NO.	REV.	DATE.	DESCRIPTION.	CHANGE.	CHECK.	APPRO.	TOLERANCES ARE	ANGLE	UNIT:	SCALE:	PROJ:	SHEET
	A		NEW				30~12.5 ±0.30	±2°	mm	1:1	OK	1 OF 1
							10~30 ±0.20					
							5~10 ±0.15					
							~5 ±0.10					