




Circuit Diagram



P.C.B layout





- NOTE:
1. Rating: DC30V 0.1A
 2. OP: 8.80±0.8
 3. Operating force: 30±15gf
 4. Mechanical Life: 3,000,000


ITEM	PART NAME	TER'NO.	QTY.	MATERIAL	FINISHING	REMARK
⑦	Shrapnel	—	1	Beryllium Copper	—	—
⑥	Contact	—	1	Copper	Plating silver	—
⑤	Lever	—	1	Stainless Steel	—	—
④	Terminal	—	3	C2680(0.50t)	Plating silver	—
③	Housing	—	1	PBT	White	—
②	Knob	—	1	POM	Red	—
①	Cover	—	1	PBT	Black	—

APPROVALS		DATE	TITLE:	
DRAWN	J.X.Zhang	2013/6/4	MICRO SWITCHS	
CHECKED			ELECTRONICS CO.,LTD	
APPROVALS			K9-1267B-L	



ECN NO.	REV.	DATE.	DESCRIPTION.	CHANGE.	CHECK.	APPRO.	TOLERANCES ARE	30~50t ±	10~30	5~10	~5	±0.30	±0.20	±0.15	±0.10	ANGLE	±2°	PART NO.	UNIT:	SCALE:	PROJ.	SHEET
	A		NEW															K9-1267B-L	mm	1:1	PROD.	1 of 1



Circuit Diagram



P.C.B layout



- NOTE:
1. Rating:DC30V 0.1A
 2. OP:8.80±0.8
 3. Operating force:30±15gf
 4. Mechanical Life:3,000,000

⑦	Shrapnel	1	Beryllium Copper			
⑥	Contact	1	Copper	Plating silver		
⑤	Lever	1	Stainless Steel			
④	Terminal	3	C2680(0.50t)	Plating silver		
③	Housing	1	PBT	White		
②	Knob	1	POM	Red		
①	Cover	1	PBT	Black		
ITEM	PART NAME	TER'NO.	QTY.	MATERIAL	FINISHING	REMARK
APPROVALS		DATE		ELECTRONICS CO.,LTD		
DRAWN		xu qi feng		2014.12.01		
CHECKED				TITLE: MICRO SWITCHS		
APPROVALS				PART NO. K9-1267B-R(3.0)		
TOLERANCES ARE		30~12t ±	±0.30	ANGLE	UNIT: mm	SCALE: 1:1
		10~30	±0.20			PROD.
		5~10	±0.15	±2'	DRAWING NO.	SHEET 1 OF 1
		~ 5	±0.10			

ECN NO.	REV.	DATE.	DESCRIPTION.	CHANGE.	CHECK.	APPRO.
	A		NEW			