



SWITCHING SEQUENCE




0 0.8 1.5 2.4

TRAVEL POSITION A





Hole Layout(top view)



Circuit Diagram

NOTE:
Operating Force: 60±20gf



ITEM	PART NAME	TER'NO.	QTY.	MATERIAL	FINISHING	REMARK
①	Knob	---	1	NYLON	White	---
②	Cover	---	1	NYLON	Black	---
③	Base	---	3	NYLON	Black	---
④	Terminal	---	3	Phosphor Bronze	Ag Plated	---
⑤	Contact Spring	---	1	SUS	Natural	---
⑥	Spring	---	1	SUS	Natural	---

APPROVALS		DATE	ELECTRONICS CO.,LTD	
DRAWN	J.X.Zhang	2013/9/13	HROE	
CHECKED			DETECTOR SWITCHS	
APPROVALS			PART NO. K5-1636DA-01	

ECN NO.	REV.	DATE.	DESCRIPTION.	CHANGE.	CHECK.	APPRO.	TOLERANCES ARE	ANGLE	UNIT:	SCALE:	PROJ:	SHEET
	A		NEW				30~12.5 ±0.30	±2°	mm	1:1	OK	1 OF 1
							10~30 ±0.20					
							5~10 ±0.15					
							~5 ±0.10					