


Circuit Diagram



NO.1	
PART NO	H
A	1.2
B	1.5

NO.2	
PART NO	vigor
1	90±30
2	130±30
3	180±30
4	250±30
5	350±50

NO.3	
PART NO	MATERIAL/qTY
S	SUS/1PC
C	C5210/1PC
D	SUS/2PCS
F	C5210/2PCS

NO.4--NO.5	
PART NO	NOTE
01~99	SERIAL NUMBER

ITEM	PART NAME	TER'NO.	QTY.	MATERIAL	FINISHING	REMARK
①	Dust cover	---	1	KAPTON FILM	---	---
②	Terminal	---	2	Phosphor Bronze	Plating silver	---
③	Contact	---	1	F.Ag/C5210	---	---
④	Base	---	1	PA46	White	UL94V-0
⑤	Cover	---	1	Brass	Plating Sn	---
⑥	Keystroke	---	1	PA46	White	UL94V-0

APPROVALS		DATE
DRAWN	JKUN.LU	2013/7/17

CHECKED		TITLE:	
APPROVALS		TACT SWITCHS	
TOLERANCES ARE		30~12.5 ±	±0.30
		10~30	±0.20
		5~10	±0.15
		~5	±0.10
			ANGLE
			±2°
			UNIT: mm
			SCALE: 1:1
			PROJ:
			SHEET 1 OF 1

ECN NO.	REV.	DATE.	DESCRIPTION.	CHANGE.	CHECK.	APPRO.
	A		NEW			